

## Avide LED Strip 12V-24V 96W Alu Profile Mini Controller with Infra Sensor

**Product code:** AAP-MINICTRL-IR  
**Brand link:** [avidelighting.com/qr/AAP-MINICTRL-IR](https://avidelighting.com/qr/AAP-MINICTRL-IR)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2025-01-15

Page: 1/3

### SPECIFICATIONS

EAN code: 5999562281031  
Warranty: 2year(s)  
Working temperature: -20 - +40 °C  
Packaging: 1/b 100/c 27500/p  
Certifications: CE

### BOX PICTURE

### TECHNICAL DETAILS

Wattage: 96W  
Voltage: 12-24V  
Dimmability:  
IP standard: IP20

**Avide LED Strip 12V-24V 96W Alu Profile Mini Controller with Infra Sensor**

**Product code:** AAP-MINICTRL-IR  
**Brand link:** [avidelighting.com/qr/AAP-MINICTRL-IR](https://avidelighting.com/qr/AAP-MINICTRL-IR)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen




Date of issue: 2025-01-15

Page: 2/3

**PRODUCT SIZE**

Magasság: 10mm  
 Szélesség: 10mm  
 Hosszúság: 55mm


**PRODUCT PICTURE**



**CARDBOARD BOX**

EAN: 5999562281031  
 Packaging: 1/b 100/c 27500/p  
 Dimensions: 88mm x 130mm x 10mm  
 Net weight: 5g  
 Gross weight: 5g

**PRODUCT OUTLINE**



**CARTON**

EAN: 5999562281048  
 Packaging: 1/b 100/c 27500/p  
 Dimensions: 330mm x 230mm x 65mm  
 Net weight: 0.5kg  
 Gross weight: 0.5kg

**PALLET EXAMPLE**

Height: 120cm (std Euro pallet)  
 Width: 80cm (std Euro pallet)  
 Mepth: 275carton/pallet  
 Cartons per row: 137.5kg  
 Net weight: 137.5kg  
 Gross weight: 137.5kg

Avide LED Strip 12V-24V 96W Alu Profile Mini Controller with Infra Sensor

**Product code:** AAP-MINICTRL-IR  
**Brand link:** [avidelighting.com/qr/AAP-MINICTRL-IR](https://avidelighting.com/qr/AAP-MINICTRL-IR)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



**Date of issue:** 2025-01-15

**Page:** 3/3

PRODUCT DESCRIPTION